ELSEVIER

Mechanisms of Development 75 (1998) 175–176

Author index

Volume 75 (1998)

Amemiya, A., see Nataf, V., 145
Artero, R.D., Terol-Alcayde, J., Paricio, N., Ring, J., Bargues, M., Torres, A., Perez-Alonso, M., *saliva*, a new *Drosophila* gene expressed in the embryonic salivary glands with homologues in plants and vertebrates, 159
Aruga, J., see Nakata, K., 43

Bach, A., see Leimeister, C., 29
Bargues, M., see Artero, R.D., 159
Barlow, A., see Francis-West, P., 3
Bellefroid, E., see Ryan, K., 155
Bodmer, R., see Park, M., 117
Bothwell, M., 167
Brennan, H.C., Nijjar, S., Jones, E.A., The specification of the pronephric tubules and duct in *Xenopus laevis*, 127
Broders, F., see Vallin, J., 171
Butler, K., see Ryan, K., 155

Champeval, D., see Nataf, V., 145
Chan, A.P.-Y., see Kloc, M., 81
Clevers, H., see Molenaar, M., 151

Destrée, O., see Molenaar, M., 151

Etkin, L.D., see Kloc, M., 81

Francis-West, P., Ladher, R., Barlow, A., Graveson, A., Signalling interactions during facial development, 3

Gessler, M., see Leimeister, C., 29
Girault, J.-M., see Vallin, J., 171
Grapin-Botton, A., see Nataf, V., 145
Graveson, A., see Francis-West, P., 3
Gurdon, J.B., see Mahony, D., 95
Gurdon, J.B., see Ryan, K., 155

Humphreys, T., see Tagawa, K., 139

Jones, E.A., see Brennan, H.C., 127
Joyner, A.L., see Liu, A., 107

Kessel, M., see Stein, S., 163
Kloc, M., Larabell, C., Chan, A.P.-Y., Etkin, L.D., Contribution of METRO pathway localized molecules to the organization of the germ cell lineage, 81

Ladher, R., see Francis-West, P., 3
Larabell, C., see Kloc, M., 81
Le Douarin, N.M., see Nataf, V., 145
Lee, M., see Zhao, J., 67
Leimeister, C., Bach, A., Gessler, M., Developmental expression patterns of mouse sFRP genes encoding members of the secreted frizzled related protein family, 29
Liu, A., Joyner, A.L., Turnbull, D.H., Alteration of limb and brain patterning in early mouse embryos by ultrasound-guided injection of *Shh*-expressing cells, 107

Mahony, D., Weis, F.M.B., Massagué, J., Gurdon, J.B., XTrR-I is a TGFβ receptor and overexpression of truncated form of the receptor inhibits axis formation and dorsalising activity, 95
Massagué, J., see Mahony, D., 95
Mikoshiba, K., see Nakata, K., 43
Molenaar, M., Roose, J., Peterson, J., Venanzi, S., Clevers, H., Destrée, O., Differential expression of the HMG box transcription factors *XTcf*-3 and *XLef*-1 during early Xenopus development, 151

Nagai, T., see Nakata, K., 43
Nakata, K., Nagai, T., Aruga, J., Mikoshiba, K., *Xenopus Zic* family and its role in neural and neural crest development, 43
Nataf, V., Grapin-Botton, A., Champeval, D., Amemiya, A., Yanagisawa, M., Le Douarin, N.M., The expression patterns of endothelin-A receptor and endothelin 1 in the avian embryo, 145
Nijjar, S., see Brennan, H.C., 127

Paricio, N., see Artero, R.D., 159
Park, M., Yaich, L.E., Bodmer, R., Mesodermal cell fate decisions in *Drosophila* are under the control of the lineage genes *numb*, *Notch*, and *sanpodo*, 117
Peale Jr., F.V., 167
Peale Jr., F.V., Sugden, L., Bothwell, M., Characterization of *CMIX*, a chicken homeobox gene related to the *Xenopus* gene *mix.1*, 167
Perez-Alonso, M., see Artero, R.D., 159
Peterson, J., see Molenaar, M., 151

Ring, J., see Artero, R.D., 159
Roeser, T., see Stein, S., 163
Roose, J., see Molenaar, M., 151
Ryan, K., Butler, K., Bellefroid, E., Gurdon, J.B., *Xenopus* Eomesodermin is expressed in neural differentiation, 155

Saga, Y., Genetic rescue of segmentation defect in MesP2-deficient mice by *MesP1* gene replacement, 53
Satoh, N., see Tagawa, K., 139
Smith, S., see Zhao, J., 67
Stein, S., Roeser, T., Kessel, M., *CMIX*, a paired-type homeobox gene expressed before and during formation of the avian primitive streak, 163
Sugden, L., 167

Tagawa, K., Humphreys, T., Satoh, N., Novel pattern of *Brachyury* gene expression in hemichordate embryos, 139
Tefft, J.D., see Zhao, J., 67

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(98)00107-5

Terol-Alcayde, J., see Artero, R.D., 159
Thiery, J.P., see Vallin, J., 171
Torres, A., see Artero, R.D., 159
Turnbull, D.H., see Liu, A., 107

Vallin, J., Girault, J.-M., Thiery, J.P., Broders, F., *Xenopus* cadherin-11 is expressed in different populations of migrating neural crest cells, 171
Venanzi, S., see Molenaar, M., 151

Warburton, D., see Zhao, J., 67
Weis, F.M.B., see Mahony, D., 95

Yaich, L.E., see Park, M., 117
Yanagisawa, M., see Nataf, V., 145

Zhao, J., Tefft, J.D., Lee, M., Smith, S., Warburton, D., Abrogation of betaglycan attenuates TGF-β-mediated inhibition of embryonic murine lung branching morphogenesis in culture, 67

ELSEVIER

Mechanisms of Development 75 (1998) 177–180

Subject index

Volume 75 (1998)

Antisense oligodeoxynucleotide inhibition; Betaglycan; TGF-β signaling; Lung branching morphogenesis; Competitive PCR; Attenuation **75**, 67

Archenteron invagination region; *Brachyury* gene; Hemichordate embryos; Expression pattern; Stomodeum invagination region **75**, 139

Armadillo; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Attenuation; Betaglycan; TGF-β signaling; Antisense oligodeoxynucleotide inhibition; Lung branching morphogenesis; Competitive PCR **75**, 67

Avian; Endothelin 1; Endothelin-A receptor; Neural crest **75**, 145

β-catenin; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Betaglycan; TGF-β signaling; Antisense oligodeoxynucleotide inhibition; Lung branching morphogenesis; Competitive PCR; Attenuation **75**, 67

Bone morphogenetic proteins; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

***Brachyury* gene**; Hemichordate embryos; Expression pattern; Archenteron invagination region; Stomodeum invagination region **75**, 139

Branchial arches; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Cadherin-11; *Xenopus laevis*; Neural crest; Cell migration **75**, 171

Cancer; Armadillo; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Cell migration; *Xenopus laevis*; Cadherin-11; Neural crest **75**, 171

Central nervous system (CNS); *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Cerebellum; *Xenopus*; Eomesodermin; Neural; Forebrain; Telencephalon; Olfactory; Placodes; Diencephalon; T-box genes **75**, 155

Chick; *CMIX*; Homeobox; Mesoderm; Primitive streak; Gastrullation **75**, 163

Chick; *CMIX*; Gastrulation; Homeobox; Mesoderm; *Mix.1* **75**, 167

CMIX; Homeobox; Chick; Mesoderm; Primitive streak; Gastrullation **75**, 163

CMIX; Chick; Gastrulation; Homeobox; Mesoderm; *Mix.1* **75**, 167

Competitive PCR; Betaglycan; TGF-β signaling; Antisense oligodeoxynucleotide inhibition; Lung branching morphogenesis; Attenuation **75**, 67

Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Development; Oogenesis; RNA localization; *Xenopus laevis*; Germ plasm **75**, 81

Development; *Xenopus laevis*; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Development; *saliva*; *Drosophila*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Embryo; Morphogenesis; Immunohistochemistry **75**, 159

Diencephalon; *Xenopus*; Eomesodermin; Neural; Forebrain; Telencephalon; Olfactory; Placodes; Cerebellum; T-box genes **75**, 155

Differential display; Development; Eye; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Drosophila; *Notch*; Muscle; *sanpodo*; numb **75**, 117

Drosophila; *saliva*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Embryo; Morphogenesis; Immunohistochemistry; Development **75**, 159

Embryo; Armadillo; *Xenopus laevis*; Development; Mid blastula transition (MBT); Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

0925-4773/98/$19.00 © 1998 Elsevier Science Ireland Ltd. All rights reserved
PII: S0925-4773(98)00108-7

Embryo; *saliva*; *Drosophila*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Morphogenesis; Immunohistochemistry; Development **75**, 159

Endoderm; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Heart; Limb bud **75**, 151

Endothelin 1; Endothelin-A receptor; Avian; Neural crest **75**, 145

Endothelin-A receptor; Endothelin 1; Avian; Neural crest **75**, 145

Eomesodermin; *Xenopus*; Neural; Forebrain; Telencephalon; Olfactory; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

Evolutionary conservation; *saliva*; *Drosophila*; Salivary glands; Salivary gland placodes; Embryo; Morphogenesis; Immunohistochemistry; Development **75**, 159

Expression pattern; *Brachyury* gene; Hemichordate embryos; Archenteron invagination region; Stomodeum invagination region **75**, 139

Eye; Development; Differential display; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Eye; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Fibroblast growth factors; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Mouse mutants; Human craniofacial syndromes **75**, 3

Forebrain; *Xenopus*; Eomesodermin; Neural; Telencephalon; Olfactory; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

Frizzled; Development; Differential display; Eye; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Gastrulation; Chick; *CMIX*; Homeobox; Mesoderm; *Mix.1* **75**, 167

Gastrullation; *CMIX*; Homeobox; Chick; Mesoderm; Primitive streak **75**, 163

Gene misexpression studies; Mouse; Sonic hedgehog **75**, 107

Germ plasm; Development; Oogenesis; RNA localization; *Xenopus laevis* **75**, 81

Heart; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Limb bud **75**, 151

Heart morphogenesis; MesP1; MesP2; Knock-in; Somitogenesis **75**, 53

Hemichordate embryos; *Brachyury* gene; Expression pattern; Archenteron invagination region; Stomodeum invagination region **75**, 139

Hh; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

HMG box; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Homeobox; *CMIX*; Chick; Mesoderm; Primitive streak; Gastrullation **75**, 163

Homeobox; Chick; *CMIX*; Gastrulation; Mesoderm; *Mix.1* **75**, 167

Homeobox genes; Facial primordia; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Human craniofacial syndromes; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants **75**, 3

Immunohistochemistry; *saliva*; *Drosophila*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Embryo; Morphogenesis; Development **75**, 159

In situ hybridization; Development; Differential display; Eye; Frizzled; Joints; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Joints; Development; Differential display; Eye; Frizzled; In situ hybridization; Kidney; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Kidney; Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Metanephros; Nervous system; sFRP; Wnt **75**, 29

Knock-in; MesP1; MesP2; Somitogenesis; Heart morphogenesis **75**, 53

Lef; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Limb bud; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart **75**, 151

Lung branching morphogenesis; Betaglycan; TGF-β signaling; Antisense oligodeoxynucleotide inhibition; Competitive PCR; Attenuation **75**, 67

Melanocyte; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Somite; Zinc finger protein **75**, 43

Mesenchyme; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-cate-

nin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Mesoderm; *Xenopus*; *siamois* **75**, 95

Mesoderm; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Mesoderm; *CMIX*; Homeobox; Chick;Primitive streak; Gastrullation **75**, 163

Mesoderm; Chick; *CMIX*; Gastrulation; Homeobox; *Mix.1* **75**, 167

MesP1; MesP2; Knock-in; Somitogenesis; Heart morphogenesis **75**, 53

MesP2; MesP1; Knock-in; Somitogenesis; Heart morphogenesis **75**, 53

Metanephros; Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Kidney; Nervous system; sFRP; Wnt **75**, 29

Mid blastula transition (MBT); *Xenopus laevis*; Development; Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Mix.1; Chick; *CMIX*; Gastrulation; Homeobox; Mesoderm **75**, 167

Morphogenesis; *saliva*; *Drosophila*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Embryo; Immunohistochemistry; Development **75**, 159

Mouse; Sonic hedgehog; Gene misexpression studies **75**, 107

Mouse mutants; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Human craniofacial syndromes **75**, 3

Muscle; *Drosophila*; *Notch*; *sanpodo*; numb **75**, 117

Nervous system; Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; sFRP; Wnt **75**, 29

Neural crest; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Neural crest; *Zic*; *odd-paired*; Neural induction; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Neural crest; Endothelin 1; Endothelin-A receptor; Avian **75**, 145

Neural crest; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Neural crest; *Xenopus laevis*; Cadherin-11; Cell migration **75**, 171

Neural development; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Neural; *Xenopus*; Eomesodermin; Forebrain; Telencephalon; Olfactory; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

Neural induction; *Zic*; *odd-paired*; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Neural plate; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Neuroectoderm; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Notch; *Drosophila*; Muscle; *sanpodo*; numb **75**, 117

numb; *Drosophila*; *Notch*; Muscle; *sanpodo* **75**, 117

odd-paired; *Zic*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Olfactory; *Xenopus*; Eomesodermin; Neural; Forebrain; Telencephalon; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

Oogenesis; Development; RNA localization; *Xenopus laevis*; Germ plasm **75**, 81

Otic vesicle; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Patterning; Facial primordia; Homeobox genes; Signalling molecules; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Placodes; *Xenopus*; Eomesodermin; Neural; Forebrain; Telencephalon; Olfactory; Diencephalon; Cerebellum; T-box genes **75**, 155

Primitive streak; *CMIX*; Homeobox; Chick; Mesoderm; Gastrullation **75**, 163

Pronephic tubules; *Xenopus laevis* **75**, 127

RNA localization; Development; Oogenesis; *Xenopus laevis*; Germ plasm **75**, 81

saliva; *Drosophila*; Evolutionary conservation; Salivary glands; Salivary gland placodes; Embryo; Morphogenesis; Immunohistochemistry; Development **75**, 159

Salivary gland placodes; *saliva*; *Drosophila*; Evolutionary conservation; Salivary glands; Embryo; Morphogenesis; Immunohistochemistry; Development **75**, 159

Salivary glands; *saliva*; *Drosophila*; Evolutionary conservation; Salivary gland placodes; Embryo; Morphogenesis; Immunohistochemistry; Development **75**, 159

sanpodo; *Drosophila*; *Notch*; Muscle; numb **75**, 117

sFRP; Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; Wnt **75**, 29

siamois; *Xenopus*; Mesoderm **75**, 95

Signalling molecules; Facial primordia; Homeobox genes; Patterning; Neural crest; Wnt; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Slug; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Somite; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Zinc finger protein **75**, 43

Somitogenesis; MesP1; MesP2; Knock-in; Heart morphogenesis **75**, 53

Sonic hedgehog; Mouse; Gene misexpression studies **75**, 107

Stomodeum invagination region; *Brachyury* gene; Hemichordate embryos; Expression pattern; Archenteron invagination region **75**, 139

Tailbud; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Endoderm; Heart; Limb bud **75**, 151

T-box genes; *Xenopus*; Eomesodermin; Neural; Forebrain; Telencephalon; Olfactory; Placodes; Diencephalon; Cerebellum **75**, 155

Tcf; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Telencephalon; *Xenopus*; Eomesodermin; Neural; Forebrain; Olfactory; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

TGF-β signaling; Betaglycan; Antisense oligodeoxynucleotide inhibition; Lung branching morphogenesis; Competitive PCR; Attenuation **75**, 67

Twist; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; Melanocyte; Somite; Zinc finger protein **75**, 43

Wingless; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Wnt; *Xenopus laevis*; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Wnt; Development; Differential display; Eye; Frizzled; In situ hybridization; Joints; Kidney; Metanephros; Nervous system; sFRP **75**, 29

Wnt; Facial primordia; Homeobox genes; Signalling molecules; Patterning; Neural crest; Hh; Bone morphogenetic proteins; Fibroblast growth factors; Mouse mutants; Human craniofacial syndromes **75**, 3

Xenopus; *Zic*; *odd-paired*; Neural induction; Neural crest; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Xenopus; *siamois*; Mesoderm **75**, 95

Xenopus; Eomesodermin; Neural; Forebrain; Telencephalon; Olfactory; Placodes; Diencephalon; Cerebellum; T-box genes **75**, 155

Xenopus laevis; Development; Oogenesis; RNA localization; Germ plasm **75**, 81

Xenopus laevis; Pronephic tubules **75**, 127

Xenopus laevis; Cadherin-11; Neural crest; Cell migration **75**, 171

Xenopus laevis; Development; Mid blastula transition (MBT); Embryo; Cancer; HMG box; Tcf; Lef; Wnt; Wingless; β-catenin; Armadillo; Central nervous system (CNS); Neural crest; Branchial arches; Eye; Otic vesicle; Mesoderm; Mesenchyme; Tailbud; Endoderm; Heart; Limb bud **75**, 151

Zic; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Zic1; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Zic2; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Zic3; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Zic family; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite; Zinc finger protein **75**, 43

Zinc finger protein; *Zic*; *odd-paired*; Neural induction; Neural crest; *Xenopus*; *Zic* family; *Zic1*; *Zic2*; *Zic3*; Neural development; Neural plate; Neuroectoderm; *Slug*; *Twist*; Melanocyte; Somite **75**, 43